



Seleccionar idioma



You're here:


- [Products](#) »
- [Area Weight Balance](#) »
- [Model ARR-300](#)

Area Weight Balance ARR-300

Capacity: Max. 30000 g/m² or 300 g

Area weight balance to determine the gsm substance or determinate weight in grams of textiles as woven fabrics, fabrics, fleece, paper etc.

Universal balance with highest accuracy at lowest , resonable price



Area weight balance ARR-300 with

calibration weight 

Special Features

- 2 Measuring modes:
Area Weight "g/m²" for fabric, paper or similar materials
Real weight "g" to determine weight

- Backlightened display for better reading in dark working areas
 - Integrated rechargeable battery
 - AC power adapter for recharging and/or mains operation
 - Tare function to determine the net weight of materials in carrying boxes
 - Supplied with calibration weight for recalibration and check of accuracy
-

Standard Features

- Automatic and manual zero tracking
- Area weight balance for Quick and accurate testing
- Highest accuracy

Balances are helpful and essential for **quality checks**. They are required to determine the weight per unit area of textile material to **maintain production specifications** or to **determine material costs** etc.

Available Model

Model	Description
ARR-300	capacity: 30000 g/m ² and 300 g

Delivery Includes



Balance, 1 calibration weight 200 g , 1 AC Adapter 230 V or 115 V (please specify when ordering), operating instructions in english

Specifications

Capacity:	30000 g/m ² area weight mode 300 g weight mode
Resolution:	1 g area weight mode (g/m ²) 0.01 g weight mode
Accuracy:	Weight mode ± 3 digits
Required sample size:	100 cm ²

Platform size Ø:	120 mm
Power supply:	Accumulator DC 9 V - 500 mA, (12 h continuous use, recharging time 12 h)
AC adapter*:	230 V AC or 115 V AC (if 115 V is required, please specify when ordering)
Temperature range:	10 - 45 °C
Air humidity:	85 % RH, max.
Weight, net (gross):	Approx. 1700 g (2700 g)
Dimensions:	200 x 220 x 60 mm (LxWxH)

Specifications subject to change without notice!

* Standard 230 V AC

- [Contact](#) |
- [Imprint](#) |
- [Sitemap](#)

HANS SCHMIDT & CO GMBH | Schichtstraße 16 | 84478 Waldkraiburg / Germany | Tel.: + 49 (0)8638 9410-0 | Fax: + 49 (0)8638 4825